

ZHANG Chuan- li¹, YUAN Xiang- li¹, LIU Huai- kun²

1.

2.

1. Nanjing Institute of Geology and Mineral Resources, Chinese Academy of Geological Sciences, Nanjing 210016, China
2. Tianjin Institute of Geology and Mineral Resources, Tianjin 300170, China

U - Pb

U - Pb

P534.3

f

Zhang C L, Ye X T, et al. Zircon U-Pb dating and tectonic significance of igneous and metamorphic events in the Tarim block. *Geological Bulletin of China*, 2014, 33(5): 500-506.

Abstract: Zircon U-Pb dating was performed on veins and garnet porphyroblasts in the Tarim block crystallized at 1.3 Ga. The ages are mainly derived from the magmatic crust with a few ages from the eclogitic crust. Based on a comparison of the ages of the zircon and the host rocks in Quruqtai area, the Pan-Asian orogenesis in the Tarim block occurred in the Paleozoic igneous and metamorphic events. The Pan-Asian orogenesis in the Tarim block had never included the Tarim block. The Pan-Asian orogenesis had been divided into three stages: the first stage is the Paleozoic igneous and metamorphic events; the second stage is the Paleozoic-Neoproterozoic orogenesis; the third stage is the Neoproterozoic-Phanerozoic orogenesis.

Key words: Tarim block, igneous and metamorphic events, zircon, U-Pb dating

			35%	10%~15%	1%~5%
		825~800 Ma	1%~5%	2- b	
780~760 Ma	735Ma	650~615 Ma	2		
	735Ma				
	[4, 7- 11]	650~615Ma	2		
		[1012]			
				2009KR015	
				2009KR016	
	[7,12]	630Ma	N 41°49'15"	E 86°12'15"	N 41°49'33"
		U - Pb	34		E 86°11'
Hf		650~615Ma	,	,	,
)	200	(1000
	R odinia				,
740Ma					
R odinia					
		—	LA- ICP- MS	2	U -
		Pb	Hf		
	[13]	[15- 16]	Hf		
		U - Pb	U - Pb		
1			U - Pb	1	Hf
			U - Pb	2	
		3			
			3.1	U - Pb	
		1.8Ga ^[5,7]			2010KR015
		TTG			150~250μm
	[14]	1- a	Zhu	2-4	CL
		650-			23
630Ma			23	Th	117×10 ⁶ ~995×
		10 ⁶ U		168×10 ⁶ ~1404×10 ⁶	Th/U
	[12]		0.75~1.00		
				Pb	2- c 23
		1- b			630.1±1.5Ma
		2-3m	²⁰⁶ Pb/ ²³⁸ U		
			MSWD=0.83		
20~30m					
	2~3m	10~20m	100~200μm	25	Th 107×
100~150m ²			10 ⁶ ~4081×10 ⁶ U		154×10 ⁶ ~2256×10 ⁶
		30%~	Th/U	0.7~1.8	1
35%	20%~25%	35%~45%			
2%~5%	2- a			24	²⁰⁶ Pb/ ²³⁸ U
			²⁰⁷ Pb/ ²³⁵ U	2- d	
					²⁰⁶ Pb/ ²³⁸ U
40%~45%	5%~10%	25%~			630.6±1.3Ma MSWD=0.38

1

U-Th-Pb

Table 1 U-Th-Pb isotopic data of zircons form Neoproterozoic K-feldspar granite and granodiorite in Quruqtagh area


	Th /10 ⁻⁶	U	Th/U	²⁰⁶ Pb/ ²³⁸ U	/%	²⁰⁷ Pb/ ²³⁵ U	/%	²⁰⁶ Pb/ ²³⁸ U	²⁰⁷ Pb/ ²³⁵ U	²⁰⁷ Pb/ ²⁰⁶ Pb	
								/Ma	/Ma	/Ma	
2009KR015											
1	413	427	0.97	0.1031	0.44	0.8624	1.08	632	3	631	7
2	331	418	0.79	0.1016	0.43	0.8450	1.56	624	3	622	10
3	127	219	0.58	0.1028	0.48	0.8510	1.60	631	3	625	10
4	355	359	0.99	0.1030	0.63	0.8714	1.38	632	4	636	9
5	154	168	0.91	0.1029	0.70	0.8553	2.16	632	4	628	14
6	377	386	0.98	0.1030	0.72	0.8709	1.31	632	5	636	8
7	312	357	0.87	0.1026	0.76	0.8689	1.41	629	5	635	9
8	147	169	0.87	0.1025	0.82	0.8425	2.09	629	5	621	13
9	167	193	0.87	0.1024	0.85	0.8662	2.43	628	5	634	15
10	198	263	0.75	0.1023	0.89	0.8635	1.49	628	6	632	9
11	194	208	0.93	0.1028	0.66	0.8720	1.76	631	4	637	11
12	388	416	0.93	0.1025	0.54	0.8695	1.10	629	3	635	7
13	289	325	0.89	0.1021	0.74	0.8646	1.28	626	5	633	8
14	251	309	0.81	0.1024	0.76	0.8735	1.37	629	5	637	9
15	136	194	0.70	0.1033	0.57	0.8577	1.58	634	4	629	10
16	320	348	0.92	0.1035	0.54	0.8729	1.11	635	3	637	7
17	117	168	0.70	0.1032	0.56	0.8730	2.01	633	4	637	13
18	242	303	0.80	0.1038	0.59	0.8763	1.12	636	4	639	7
19	304	368	0.83	0.1028	0.62	0.8721	1.18	631	4	637	8
20	408	428	0.95	0.1030	0.49	0.8674	1.07	632	3	634	7
21	995	1404	0.71	0.1022	0.63	0.8704	0.92	627	4	636	6
22	258	256	1.01	0.1019	0.56	0.8631	2.50	626	4	632	16
23	272	304	0.90	0.1021	0.54	0.8609	2.51	627	3	631	16
2009KR016											
1	310	411	0.76	0.1020	0.65	0.8616	1.04	626	4	631	7
2	172	190	0.91	0.1032	0.65	0.8703	1.87	633	4	636	12
3	750	834	0.90	0.1028	0.74	0.8779	0.88	631	5	640	6
4	287	357	0.80	0.1030	0.60	0.8785	1.02	632	4	640	7
5	434	585	0.74	0.1038	0.56	0.8771	0.88	636	4	639	6
6	845	788	1.07	0.1030	0.60	0.8795	0.84	632	4	641	5
7	102	752	1.36	0.1033	0.60	0.8732	0.86	634	4	637	5
8	702	638	1.10	0.1028	0.69	0.8642	0.89	631	4	632	6
9	969	849	1.14	0.1031	0.52	0.8707	0.85	633	3	636	5
10	782	825	0.95	0.1030	0.48	0.8624	0.82	632	3	631	5
11	687	718	0.96	0.1027	0.45	0.8619	0.86	630	3	631	5
12	1061	1016	1.04	0.1029	0.40	0.8647	0.80	631	3	633	5
13	451	641	0.70	0.1028	0.47	0.8638	0.88	631	3	632	6
14	107	154	0.69	0.1024	0.52	0.8669	2.14	628	3	634	14
15	287	321	0.89	0.1026	0.54	0.8731	1.35	630	3	637	9
16	528	573	0.92	0.1027	0.49	0.8653	0.92	630	3	633	6
17	717	609	1.18	0.1024	0.39	0.8640	0.95	629	2	632	6
18	392	558	0.70	0.1025	0.39	0.8621	1.02	629	2	631	6
19	2273	1709	1.33	0.1026	0.40	0.8671	0.80	630	3	634	5
20	925	902	1.02	0.1025	0.39	0.8660	0.85	629	2	633	5
21	600	578	1.04	0.1028	0.46	0.8725	0.95	631	3	637	6
22	4081	2256	1.81	0.1027	0.45	0.8680	0.78	630	3	634	5
23	937	989	0.95	0.0975	0.46	0.8093	0.82	600	3	602	5
24	510	494	1.03	0.1029	0.49	0.8680	1.00	631	3	635	6


2

Hf

Table 2 Hf isotopic composition of Neoproterozoic K-feldspar granite and granodiorite in Quruqtagh area

	$^{176}\text{Yb}/^{177}\text{Hf}$	$^{176}\text{Lu}/^{177}\text{Hf}$	$^{176}\text{Hf}/^{177}\text{Hf}$	2	$^{176}\text{Hf}/^{177}\text{Hf}_{\text{i}}$	Hf(O)	Hf(t)	T_{DM}/Ma	$T_{\text{DM}}^{\text{c}}/\text{Ma}$	$f_{\text{Lu/Hf}}$
2009KR015										
1	0.0815	0.0020	0.282228	0.000021	0.282205	-19.2	-6.2	1484	2509	-0.94
2	0.0501	0.0015	0.282277	0.000020	0.282258	-17.5	-4.3	1398	2340	-0.95
3	0.0418	0.0014	0.282220	0.000016	0.282204	-19.5	-6.2	1470	2511	-0.96
4	0.0381	0.0012	0.282238	0.000016	0.282223	-18.9	-5.5	1440	2450	-0.96
5	0.0468	0.0014	0.282247	0.000017	0.282230	-18.6	-5.3	1436	2430	-0.96
6	0.0542	0.0020	0.282223	0.000014	0.282200	-19.4	-6.4	1490	2524	-0.94
7	0.0696	0.0021	0.282213	0.000022	0.282188	-19.8	-6.8	1511	2561	-0.94
8	0.0350	0.0011	0.282235	0.000018	0.282222	-19.0	-5.6	1439	2454	-0.97
9	0.0502	0.0014	0.282230	0.000019	0.282213	-19.2	-5.9	1460	2484	-0.96
0	0.0342	0.0010	0.282259	0.000020	0.282248	-18.1	-4.7	1402	2374	-0.97
1	0.0555	0.0017	0.282279	0.000020	0.282259	-17.4	-4.3	1400	2337	-0.95
2	0.0378	0.0011	0.282253	0.000020	0.282241	-18.3	-4.9	1413	2396	-0.97
3	0.0647	0.0018	0.282205	0.000021	0.282184	-20.0	-6.9	1509	2574	-0.95
4	0.0265	0.0008	0.282218	0.000018	0.282209	-19.6	-6.0	1450	2494	-0.98
5	0.0787	0.0022	0.282275	0.000020	0.282248	-17.6	-4.7	1427	2372	-0.93
6	0.0442	0.0010	0.282268	0.000019	0.282257	-17.8	-4.4	1389	2345	-0.97
7	0.0661	0.0015	0.282180	0.000023	0.282162	-20.9	-7.7	1533	2643	-0.95
8	0.0402	0.0011	0.282240	0.000025	0.282228	-18.8	-5.4	1430	2436	-0.97
9	0.0614	0.0016	0.282229	0.000024	0.282210	-19.2	-6.0	1468	2492	-0.95
10	0.0453	0.0012	0.282243	0.000022	0.282229	-18.7	-5.3	1431	2432	-0.96
11	0.0610	0.0012	0.282252	0.000020	0.282237	-18.4	-5.0	1421	2407	-0.96
12	0.1971	0.0049	0.282187	0.000023	0.282129	-20.7	-8.9	1674	2746	-0.85
13	0.0505	0.0013	0.282275	0.000021	0.282260	-17.6	-4.2	1389	2334	-0.96
14	0.0531	0.0013	0.282247	0.000020	0.282232	-18.6	-5.2	1429	2422	-0.96
R016										
1	0.1286	0.0031	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
2	0									
3	0									
4	0									
5	0									
6	0									
7	0									
8	0									
9	0									
10	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
11	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
12	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
13	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
14	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
15	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
16	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
17	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
18	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
19	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
20	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
21	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
22	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
23	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
24	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
25	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
26	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
27	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
28	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
29	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
30	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
31	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
32	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
33	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
34	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
35	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
36	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
37	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
38	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
39	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
40	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
41	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
42	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
43	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
44	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
45	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
46	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
47	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
48	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
49	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
50	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
51	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
52	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
53	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
54	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
55	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
56	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
57	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
58	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
59	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
60	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
61	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
62	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
63	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
64	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
65	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
66	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
67	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0.91
68	0.0571	0.0013	0.282279	0.000021	0.282242	-17.4	-4.9	1457	2392	-0





- [1] Li X L, Ma D S, et al. Petrology, geochemistry and U - Pb zircon geochronology from Archaean potassic granite suite and Paleoproterozoic metamorphism in the Tarim Block, NW China. *Journal of Asian Earth Sciences* 2012, 47: 5- 20.
- [2] Long X L, Ma D S, et al. Precambrian tectonic evolution of the Tarim Block, NW China: New geochronological insights from the Quruqtagh domain[J]. *Journal of Asian Earth Sciences* 2014, 47: 784- 790.
- [3] Zou H B, Li H K, et al. Tectonic framework and evolution of the Tarim Block, NW China[J]. *Gondwana Research*, 2013, 23: 307- 315.
- [4] Li, Li Z X, Li X H, et al. Neoproterozoic mafic dyke emplacement along the north margin of the Tarim, NW China: age, geochemistry, tectonic setting and tectonic implications[J]. *Journal of Asian Earth Sciences* 2009, 35: 167- 179.
- [5] C L, Zou H B, Wang H Y. Multiple phases of the Neoproterozoic igneous activity in Quruqtagh of the northeastern Tarim, NW China: Interaction between plate subduction and mantle plume? [J]. *Precambrian Research*, 2011, doi: org/10.1016/j.precamres.2011.08.005.
- [6] Xu W B, Zhang Z Z, Shu L S, et al. SHRIMP U - Pb zircon geochronology of Neoproterozoic Korla mafic dykes in the northern Tarim Block, NW China: implications for the long-lasting break-up process of Rodinia[J]. *Journal of Geology Society, London*, 2008, 165: 887- 890.
- [7] Xu B, Xiao S H, Zou H B, et al. SHRIMP zircon U - Pb age constraints on the formation of Quruqtagh diamictites in NW China[J]. *Tectonophysics*, 2011, 500: 10- 18.
- [8] Li X L, Ma D S, et al. LA- MC- ICPMS U - Pb dating of zircon and Lu- Hf isotopic analysis of monazite in the Tarim Block, NW China: Petrology, geochemistry and tectonic evolution of the Tarim Block, NW China. *Journal of Asian Earth Sciences* 2007, 23: 2595- 2604.
- [9] Hu A Q, Jahn B M, Zhang G X, et al. Crustal evolution and Phanerozoic crustal growth in northern Xinjiang: Nd isotopic evidence. Part I. Isotopic characterization of basement rocks[J]. *Tectonophysics* 2000, 328: 15- 51.
- [10] Long X P, Yuan C, Sun M, et al. Reworking of the Tarim Craton by underplating of mantle plume- derived magmas: Evidence from Neoproterozoic granitoids in the Kuluketage area, NW China[J]. *Precambrian Research*, 2011, 187: 1- 14.
- [11] Zhang C L, Li X H, Li Z X, et al. Neoproterozoic ultramafic- mafic- carbonatite complex and granitoids in Quruqtagh of northeast Tarim Block, western China: geochronology, geochemistry and tectonic implications[J]. *Precambrian Research*, 2007, 152: 149- 169.
- [12] Zhu W B, Zheng B H, Shu L S, et al. Neoproterozoic tectonic evolution of the Precambrian Aksu blueschist terrane, northwestern Tarim, China: Insights from LA- ICP- MS zircon U - Pb ages and geochemical data[J]. *Precambrian Research*, 2011, 185: 215- 230.
- [13] Ge R F, Zhu W B, Zheng B H, et al. Early Pan- African magmatism in the Tarim Craton: Insights from zircon U - Pb- Lu- Hf isotopic and geochemistry of granitoids in the Korla area, NW China[J]. *Precambrian Research*, 2012, 222- 223: 117- 138.
- [14] Xu B, Jiang P, Zheng H F, et al. U - Pb zircon geochronology of Neoproterozoic volcanic rocks in the Tarim Block of northwest China: implications for the breakup of Rodinia supercontinent and